This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 98/08519
A61K 31/58, 9/00, 9/12	A1	(43) International Publication Date: 5 March 1998 (05.03.98)
(21) International Application Number: PCT/US (22) International Filing Date: 26 August 1997 ((30) Priority Data: 08/705,368 29 August 1996 (29.08.96) (71) Applicant: SCHERING CORPORATION [US/US]: 2 loping Hill Road, Kenilworth, NJ 07033 (US). (72) Inventors: BERRY, Julianne; 719 Castleman Drive, NJ 07090 (US). SEQUEIRA, Joel, A.; 6 Mary Ell Edison, NJ 08820 (US). CHAUDRY, Imtiaz, A.; Avenue, North Caldwell, NJ 07006 (US). (74) Agents: FRANKS, Robert, A. et al.; Schering-Ploug ration, Patent Dept. K-6-1 1990, 2000 Galloping F. Kenilworth, NJ 07033 (US).	26.08.9 26.000 Ga Westfiel en Driv 18 Ro h Corp	CA, CN, CZ, EE, GE, HU, IL, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
(54) Title: CHLOROFLUOROCARBON-FREE MOMET	ASON	FUROATE AEROSOL FORMULATIONS
(57) Abstract		
The invention relates to suspension aerosol formulat to about 10 weight percent ethanol and 1,1,1,2,3,3,3-Hept included. These formulations are suitable for use in metere	afluoroj	ch exhibit stable particle sizes, containing mometasone furoate, about I ropane as the propellant. A surfactant, such as oleic acid, can also be inhalers.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	St	Slovenia	
AM	Armenia	PE	Finland	LT	Lithuania	SK	Slovakin	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegai	
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	
AZ	Azerbaijan	CB	United Kingdom	MC	Monaco	TD	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GH	Ghans	MG	Madagascar	T.J	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	IIU	Hungary	ML	Mali	TT	Trinidad and Tobago	
BJ	Benin	12	Treland	MN	Mongolia	UA	Ukraine	
BR	Brazil	IL	israei	MR	Mauritania	UG	Uganda	
BY	Belarus	18	Iceland	MW	Malawi	US	United States of America	
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CC	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PI.	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ.	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	LI	Licchtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Listonia	LR	Liberia	SG	Singapore			

5

10

25

30

35

CHLOROFLUOROCARBON-FREE MOMETASONE FUROATE AEROSOL FORMULATIONS

INTRODUCTION TO THE INVENTION

The present invention pertains to aerosol
formulations of drugs, such as those formulations
suitable for use in pressurized aerosol metered dose
inhalers. More specifically, the invention relates to
aerosol formulations of the drug mometasone furoate
with the propellant 1,1,1,2,3,3,3-Heptafluoropropane
(HFC-227).

Aerosolized drugs have been used for many years to treat disorders of the respiratory system, and as a convenient means for the systemic introduction of various pharmaceutical agents into the body. The typical aerosol formulation in a metered dose inhaler for treating disorders such as asthma or rhinitis is a suspension of one or more drug substances in a fully halogenated (with chlorine and fluorine) lower alkyl compound propellant, further containing small amounts of surfactants and/or excipients which are usually soluble in the propellant.

Pharmaceutical agents administered by means of metered dose inhalers are usually bronchodilators or corticosteroids. The steroidal drugs which are currently available in this form for inhalation therapeutic uses in the United States include beclomethasone dipropionate (both for nasal and lower airway administration), budesonide (nasal and airway administration), dexamethasone sodium phosphate (nasal

10

35

and airway administration), flunisolide (nasally administered), and triamcinolone acetonide (nasal and airway administration). Fluticasone propionate has also recently been approved for sale as a lower airway drug. Typical formulations contain chlorofluorocarbon propellants, the drug substance and ethanol, which is soluble in the propellant, and sometimes also contain a surfactant such as oleic acid for maintaining a stable suspension, lubrication of the metering valve and other functions.

However, certain of the steroids have significant solubility in ethanol. When there is insufficient ethanol present for maintaining a solution of these drugs in an aerosol canister, the normal temperature 15 fluctuations encountered during storage and use can cause repeated solubility increases and decreases of a saturated solution. Each time the drug substance becomes less soluble, such as in a period of ambient temperature decrease, it tends to crystallize and, due 20 to the typical slow rate of temperature change, grows into crystals much larger than those which can be properly dispensed - particularly when the drug is intended for delivery to the bronchia or lungs. In general, drug particle sizes from about 1 to about 5 25 micrometers are preferred for administration to the lower airway, with particles smaller than about 0.5 micrometers frequently being exhaled without complete deposition on tissues, while particles larger than about 10 micrometers can exhibit considerable 30 deposition in the mouth and/or pharynx and therefore not reach the lower airway. Very large particles cannot pass through a metering valve and will not be reliably dispensed.

In the case of beclomethasone dipropionate, itself quite soluble in ethanol, an addition compound (sometimes called a "solvate" or "clathrate") can be formed from the compound and the chlorofluorocarbons or

25

a fluorohydrocarbon; when this clathrate is formulated with a propellant, no particle size growth is noted.

With the implication of fully halogenated chlorofluorocarbon propellants in the environmentally harmful destruction of ozone in the upper atmosphere, the availability of these propellants has become quite restricted. This has encouraged development work toward formulations containing propellants having reduced upper atmospheric reactivity, such work 10 particularly centering about the propellants 1,1,1,2-Tetrafluoroethane (HFC-134a) and HFC-227, these compounds having approximately the same physical properties as those of the older chlorofluorocarbons used for medicinal aerosols. Recent studies have 15 imputed to HFC-134a an undesirable potential for surface water acidification, as it appears to form the environmentally very stable trifluoroacteic acid in the atmosphere.

It has been proposed in European Patent 0 553 298 B1 to formulate an aerosol with HFC-134a by simply including sufficient ethanol to maintain beclomethasone dipropionate in solution over at least the expected ambient temperature range. However, the presence of any ethanol is discouraged in many countries, due to the prevalence of alcoholism and the ease with which ethanol is systemically absorbed from lower airway tissues. Any products intended for use by children generally should have as low an ethanol content as possible.

International Patent Application WO 93/11745
discloses particle size-stable suspension aerosol
formulations containing drug substances, a fluorocarbon
or hydrogen-containing chlorofluorocarbon propellant,
and a polar cosolvent such as an alcohol. No
surfactants are said to be required.

International Patent Application WO 94/03153 reports that solvates of beclomethasone and HFC-134a

20

can be used to produce stable suspensions in a fluorocarbon or hydrogen-containing chlorofluorocarbon propellant, in the substantial absence of solvating species such as alcohol.

5 The drug mometasone furoate would have advantages over the presently available corticosteroids for treating airway disorders. As reported in International Patent Application WO 95/20393, the drug has a very rapid onset of action and generally does not appear in detectable concentrations in the blood, following nasal or airway administration.

Unfortunately, this drug has a some solubility in ethanol and exhibits particle size increases during storage of suspension aerosol formulations prepared using large amounts of ethanol.

International Patent Applications WO 92/22287 and WO 92/22288 disclose aerosol formulations of mometasone furoate in the propellants HFC-134a and HFC-227, but do not address the problem of adverse particle size increases.

Summary of the Invention

In accordance with the invention, there is
provided a particle size-stable pressurized aerosol
suspension formulation of mometasone furoate,
comprising the propellant HFC-227, about 1 to about 10
weight percent ethanol and mometasone furoate in
concentrations at least about 1 percent of the ethanol
concentration. The formulation can also contain a
surfactant.

It has been discovered that the formulation of the invention does not exhibit significant particle size changes in the suspended drug. In addition, the densities of the solid and liquid phases are similar, giving a suspension which has a reduced tendency for particle settling; this results in a greatly

-5-

facilitated re-dispersion into a uniform suspension, after the formulation has remained in an undisturbed condition for prolonged periods.

5 <u>Detailed Description of the Invention</u>

10

20

25

30

35

The invention provides pressurized aerosol formulations of the corticosteroid drug mometasone furoate, particularly formulations suitable for use in metered dose inhalers.

Mometasone furoate is also known by the chemical name $9\alpha,21$ -Dichloro- $11\beta,17$ -dihydroxy- 16α -methylpregna-1,4-diene-3,20-dione 17-(2-furoate), has the empirical formula $C_{27}H_{30}Cl_2O_6$ and has a molecular weight of 521.44. The drug is currently marketed in cream, ointment and lotion formulations, for the treatment of various dermatological conditions.

In formulations of the present invention which are suitable for treating lower respiratory system disorders such as asthma, at least a substantial portion of the drug is present as suspended particles having respirable sizes, e.g., about 0.5 to about 10 micrometers in their largest dimension. In inventive formulations which are suitable for treating upper respiratory system disorders such as rhinitis, somewhat larger drug particles may be permissible, but the foregoing size range remains preferred.

As with other drugs which have appreciable solubility in ethanol, there is a tendency for mometasone furoate to exhibit crystal growth in ethanol-containing formulations. However, the inventors have discovered formulation parameters which do not promote drug particle size growth. These parameters also provide the advantage of minimizing the required ethanol concentrations, to reduce the potential for unpleasant taste sensations and render

the compositions more suitable for use by children and others with low alcohol tolerance.

It has been discovered that a certain minimum level of ethanol is needed to provide consistent and predictable delivery of the drug from a metered dose dispenser. This minimum level is about 1 weight percent of the total formulation, which results in a marginally acceptable drug delivery. Increased amounts of ethanol generally improve drug delivery

10 characteristics.

However, for reasons previously discussed, and to prevent drug crystal growth in the formulation, it is necessary to limit the concentration of ethanol. Experimental data indicate that the ratio of the weight of mometasone furoate to the weight of ethanol is 15 important in preventing particle size increases; in general, when the drug is present at 0.6 percent of the concentration of ethanol, immediate and severe adverse changes in crystal morphology and size are observed. This effect is not seen when the mometasone furoate is 20 present at 1.3 percent of the ethanol concentration, leading to a conclusion that the drug must be present in concentrations at least about 1 percent of the ethanol concentration.

Limitations in the available metering valve
delivery volumes (e.g., 25 to 100 microliters per
actuation) and the amounts of drug substance required
in a dose for treating a particular condition
(generally about 10 to about 500 micrograms per valve
actuation) will dictate the points within the foregoing
ethanol parameters for a given formulation.
Determination of such amounts is well within the skill
of workers in this art.

A surfactant is frequently included in aerosol
formulations, for purposes such as assisting with
maintaining a stable suspension of the drug and
lubricating the metering valve. The formulation of the

present invention does not require a surfactant for maintenance of ready dispersability (such as by moderate agitation immediately prior to use), as the drug forms loose flocculates in the propellant and does not exhibit a tendency to settle or compact. Upon undisturbed storage, the drug particles merely remain in their flocculated state.

-7-

However, surfactants can be incorporated, in small amounts as are customary in other aerosol suspensions, 10 to ensure proper metering valve function. The commonly used oleic acid is suitable, at levels which will deliver up to about 50 micrograms of oleic acid per actuation of the valve. Of course, it is always desired to minimize the amounts of chemical substances 15 in a medication dose, so the lowest concentrations which yield the desired effects are to be used. Other useful surfactants include, without limitation thereto, sorbitan trioleate, cetyl pyridinium chloride, soya lecithin, polyoxyethylene (20) sorbitan monolaurate, 20 polyoxyethylene (10) stearyl ether, polyoxyethylene (2) oleyl ether, polyoxyethylene-polyoxypropyleneethylenediamine block copolymers, polyoxyethylene (20) sorbitan monostearate, polyoxyethylene-polyoxypropylene block copolymers, castor oil ethoxylate, and mixtures of any of the surfactants. It is generally preferred 25 that the surfactant is soluble, at levels employed, in the alcohol-propellant solution. For any desired surfactant, simple experiments to measure drug delivery reproducibility can be employed to identify the optimum amount of surfactant for any given formulation and 30 delivery system.

Formulations of the invention are made according to procedures customary in the art for other aerosol compositions. Typically, all components except the propellant are mixed and introduced into aerosol containers. The containers can then be chilled to

35

-8-

temperatures below the boiling point of the propellant, and the required amount of the chilled propellant added before the metering valve is crimped onto the container. Alternatively, the containers can be fitted with a metering valve before being filled with propellant, and the required quantity of propellant will be introduced through the valve.

Certain aspects of the invention are further described in the following examples. In the examples, "percent" indicates weight percentage unless the context clearly indicates otherwise.

Example 1

15 Following are examples of useful aerosol suspension formulations, according to the present invention. Ingredient amounts, in percent of mometasone furoate ("MF"), oleic acid ("Oleic"), ethanol ("EtOH") and HFC-227 ("Propellant"), are given.

10

	<u>Formulation</u>	MF	Oleic	EtOH	Propellant
	Α	0.112	0.001	2.497	97.389
	В	0.028	0	1.750	98.222
	С	0.112	0.011	2.497	97.379
25	D	0.448	0.011	2.489	97.052
	E	0.112	0	2.497	97.390
	F	0.448	0.011	4.977	94.564
	G	0.224	0.011	2.494	97.270
	Н	0.028	0.001	2.499	97.471
30	I	0.028	0.011	2.499	97.462

-9-

Example 2

Experiments are performed to determine the effects on aerosol drug delivery characteristics from variable,

5 low concentrations of ethanol. In these experiments, micronized mometasone furoate is incorporated into a "concentrate" suspension with the ethanol and, optionally, oleic acid. A required amount of the well-mixed concentrate for delivery of 120 doses is weighed into metal aerosol containers, a metering valve delivering 63 microliters per actuation (a volume containing 100 micrograms of mometasone furoate) is crimped onto the container and liquid HFC-227 propellant is weighed into the container through the valve. The concentration of mometasone furoate in the final formulation is 0.112%.

To test drug delivery from the containers, the weight of drug substance delivered by two actuations of the metering valve is measured, and divided by two to calculate the amount delivered in a single actuation. After a fixed number of "priming" actuations, this is done for the first two doses delivered from the container, two doses at the midpoint of doses to be delivered and two doses at the end of the intended capacity of the container. Tabulated below are average amounts recovered from multiple containers of each formulation, the formulation information identifying the amount of oleic acid delivered with each valve actuation.

30

20

25

1% Ethanol, 2.5 μg Oleic Acid (6 containers)

Beginning 75.2 μ g Midpoint 83.4 μ g End 92.6 μ g

35

-10-

1.75% Ethanol, 10 µg Oleic Acid (6 containers)

Beginning 94.3 μ g Midpoint 96.4 μ g End 110 μ g

5

2.5% Ethanol, 10 µg Oleic Acid (10 containers)

Beginning 104 μ g Midpoint 102 μ g End 106 μ g

10

2.5% Ethanol, no Oleic Acid (10 containers)

Beginning 93.3 μ g Midpoint 98.8 μ g End 99.0 μ g

15

The drug delivery from those containers having 1 percent ethanol could be marginally acceptable for a commercial product, while deliveries from all of the containers with higher alcohol level formulations would be acceptable. The general drug delivery standards for inhalation products intended to treat asthma are established by governmental agencies, such as the United States Food and Drug Administration.

25

30

20

Example 3

Experiments are conducted to determine the effects on drug particle size stability of variable ratios of drug to ethanol weights in aerosol formulations.

Formulations are prepared in glass containers, fitted with aerosol valves, from the following components, where amounts are in percent:

Formulation A

35 HFC-227 94.969
Ethanol 4.985
Mometasone Furoate 0.034

-11-

Oleic Acid

0.012

Mometasone Furoate/Ethanol = 0.00674

	Formu.	lati	on	В
--	--------	------	----	---

5	HFC-227	97.457
	Ethanol	2.499
	Mometasone Furoate	0.032
	Oleic Acid	0.011

Mometasone Furoate/Ethanol = 0.0130

10

15

Formulation C

HFC-227	97.366
Ethanol	2.497
Mometasone Furoate	0.127
Oleic Acid	0.011

Mometasone Furcate/Ethanol = 0.0508

Formulation D

	HFC-227	97.188
20	Ethanol	2.492
	Mometasone Furoate	0.308
	Oleic Acid	0.011

Mometasone Furoate/Ethanol = 0.124

25 Each formulation is examined for evidence of crystal growth after preparation, by visually inspecting the container contents and by spraying a dose of the formulation onto a glass microscope slide, allowing the propellant to evaporate and visually 30 inspecting particles on the slide with polarized light at 100% magnification. Formulation A shows extensive crystal morphology change, into elongated needle-like shapes, of which many have a maximum dimension appearing to be greater than about 30 µm; the changes are visually apparent in the container without any 35 magnification. Particles in each of the other formulations appear similar to those of the original

micronized mometasone furoate, both in particle form and in size. Formulation A will not be suitable for the inhalation delivery of mometasone furoate.

The containers with Formulations B, C and D are subjected to a freeze/thaw temperature program, as follows: -20°C for 3 days, then room temperature for one day, then 50°C for 2 days, then -20°C for 4 days, then 50°C for 3 days, then -20°C for 3 days, then 50°C for 3 days, and finally room temperature for 1 day. Upon repeating the microscopic examination, no temperature excursion-induced changes in particle form or size are observed in any of these formulations.

The foregoing descriptions of various embodiments of the invention are representative of various aspects of the invention, and are not intended to be exhaustive or limiting to the precise forms disclosed. Many modifications and variations undoubtedly will occur to those having skill in the art. It is intended that the scope of the invention shall be fully defined solely by the appended claims.

WHAT IS CLAIMED IS:

- 1. An aerosol suspension formulation comprising 1,1,1,2,3,3,3-Heptafluoropropane, about 1 to about 10 weight percent ethanol and micronized mometasone furoate in concentrations at least about 1 percent of the ethanol concentration, the formulation optionally also containing a surfactant.
- The aerosol suspension formulation of claim 1, comprising about 1 to about 5 weight percent ethanol.
- The aerosol suspension formulation of claim 1, comprising about 2 to about 5 weight percent ethanol.
- 4. The aerosol suspension formulation of claim 1, which contains a surfactant.
- 5. The aerosol suspension formulation of claim 4, wherein the surfactant comprises oleic acid.
- 6. The aerosol suspension formulation of claim 1, which is contained in a metered dose container.
- 7. The aerosol suspension formulation of claim 1, which is contained in apparatus delivering a measured amount of about 10 to about 500 micrograms of mometasone furoate from a single actuating operation.
- 8. A method for treating allergic reactions in the respiratory tract, comprising administering by inhalation an aerosol suspension formulation comprising 1,1,1,2,3,3,3-Heptafluoropropane, about 1 to about 10 weight percent ethanol and micronized mometasone furoate in concentrations at least about 1 percent of the ethanol concentration, the formulation optionally also containing a surfactant.

- 9. The method of claim 8, wherein the suspension comprises about 1 to about 5 weight percent ethanol.
- 10. The method of claim 8, wherein the suspension comprises about 2 to about 5 weight percent ethanol.
- 11. The method of claim 8, wherein the suspension contains a surfactant.
- 12. The method of claim 11, wherein the surfactant comprises oleic acid.
- 13. The method of claim 8, wherein the suspension is contained in a metered dose container.
- 14. The method of claim 8, wherein the suspension is contained in apparatus delivering a measured amount of about 10 to about 500 micrograms of mometasone furoate from a single actuating operation.
- 15. A metered dose inhaler which contains an aerosol suspension formulation comprising 1,1,1,2,3,3,3-Heptafluoropropane, about 1 to about 10 weight percent ethanol and micronized mometasone furoate in concentrations at least about 1 percent of the ethanol concentration, the formulation optionally also containing a surfactant.
- 16. The metered dose inhaler of claim 15, wherein about 10 to about 500 micrograms of mometasone furoate are delivered from a single actuating operation.

Inter Inal Application No PCT/US 97/14708

			<u> </u>
A. CLASS IPC 6	iFication of Subject Matter A61K31/58 A61K9/00 A61K9/	12	
According t	o International Patent Classification (IPC) or to both national classif	ioation and IPC	
	SEARCHED		
Minimum di IPC 6	ocumentation searched (classification system followed by classifica A61K	ttion symbols)	
	son searched other than minimum documentation to the extent that		
EMOCRANA	lata base consulted during the international search (name of data b	lake and, Where practices, search terms used	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the re	plevant passages	Relevant to claim No.
x	US 5 474 759 A (J. FASSBERG ET December 1995 cited in the application see claims 1,3,7,10-12 see column 3, line 7 - line 16 see examples 22,25,33	AL.) 12	1-16
Y	WO 95 20393 A (SCHERING CORPORATION,U.S.A.) 3 August 199 see claims see page 10, line 14 - page 12,		1-16
Y	EP 0 656 205 A (SCHERING CORPORATION,U.S.A.) 7 June 1995 cited in the application see claims see example XIV		1-16
Furt	er documents are listed in the continuation of box C.	X Patent family members are listed in	annex.
"A" docume conside "E" earlier of fring de "L" docume which is official "O" docume other m" "P" docume	nt which may throw doubts on priority claim(a) or solated to establish the publication date of another or other special reason (as specified) at referring to an oral disolesure, use, exhibition or	"T leter document published after the inter- or priority date and not in conflict with oited to understand the principle or the invention. "A document of particular relevance; the old cannot be considered novel or cannot involve an invention are when the good of the considered to the order of particular relevance; the old cannot be considered to throther an invention and to throther a mind document is combined with one or more metric, such combination being obvious in the art. "A" document member of the same patent if a	he application but ony underlying the latined invention be considered to unner in taken alone unned invention attive step when the a other such doou- a to a person skilled
	ctual completion of the international search	Date of mailing of the international search	
15	5 December 1997	0 9. 01. 98	
Name and m	eiling address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentiaan 2 N 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Scarponi, U	

Intr-ational application No.

PCT/US 97/14708

Box	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inter	mational Search Report has not been established in respect of certam claims under Article 17(2)(a) for the following reasons:
	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claim(s) 8-14 is(are) directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition. Claims Nos.: because they relate to parts of the international Application that do not comply with the prescribed requirements to such an extent that no meaningful international Search can be carned out, specifically:
3. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6 4(a).
Box II	Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)
This Inte	ernational Searching Authority tound multiple inventions in this international application, as follows:
1. 🗆	As all required additional search fees were timely paid by the applicant, this international Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority oid not invite payment of any additional fee.
3.	As only some of the required additional asarch fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4.	No required additional search fees were timely paid by the applicant. Consequently, this international Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remar	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

aformation on patent family members

Interr Inal Application No. PCT/US 97/14708

	and district on baseli issued incide	PCT,	US 97/14708
Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5474759 A	12-12-95	AT 134509 T AU 2017592 A CA 2111002 A CN 1067578 A CZ 9302714 A DE 69208660 D DE 69208660 T EP 0518600 A EP 0588897 A EP 0656206 A EP 0656207 A ES 2084360 T HK 185596 A HU 67449 A JP 6511235 T MX 9202750 A NO 934500 A OA 9868 A SK 140493 A WO 9222288 A	15-03-96 12-01-93 23-12-92 06-01-93 13-07-94 04-04-96 11-07-96 16-12-92 30-03-94 07-06-95 01-05-96 11-10-96 28-04-95 15-12-94 31-12-92 09-12-93 15-08-94 05-10-94 23-12-92
WO 9520393 A	03-08-95	AU 1727195 A CA 2182086 A CN 1139384 A CZ 9602191 A EP 0740550 A FI 962828 A HU 74884 A JP 9501700 T NO 963132 A PL 315575 A SK 82296 A ZA 9500637 A	15-08-95 03-08-95 01-01-97 11-12-96 06-11-96 12-07-96 28-02-97 18-02-97 26-09-96 12-11-96 05-03-97 26-07-95
EP 656205 A	07-06-95	EP 0653205 A AT 132368 T AU 2178992 A CA 2111003 A CN 1067579 A CZ 9302713 A	17-05-95 15-01-96 12-01-93 23-12-92 06-01-93 13-07-94

.atormation on patent family members

Inter anal Application No PCT/US 97/14708

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 656205 A		DE 69207409 D	15-02-96
E1 030203		EP 0518601 A	16-12-92
		EP 0587790 A	23-03-94
		HU 67445 A	28-04-95
		JP 6508149 T	14-09-94
		MX 9202751 A	01-12-92
		NO 934499 A	09-12-93
		OA 9827 A	15-04-94
		SK 140593 A	09-11-94
		WO 9222287 A	23-12-92